EAST Search History

| Ref # | Hits | Search Query | DBs Default Operator | | Plurals | Time Stamp |
|-----------------|--|--|---------------------------------|-------------------------------------|------------------|---------------------------|
| S1 | 5935 | 29/602.1,605,606.ccls. | US-PGPUB; USPAT; EPO; JPO | OR ON | | 2006/07/18 09:44 |
| S2 | 6718 | 336/65,83,200,206-208,220-223, 232.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/07/18 09:40 |
| S3 | 708 | 257/531.ccls. US-PGPUB; OR ON USPAT; | | 2006/07/18 09:40 | | |
| • | Site of the second of the seco | ी प्राप्त के अञ्चलका प्राप्त के अञ्चलका अस्ति । विश्व के प्राप्त के प्राप्त के प्राप्त के प्राप्त के प्राप्त क स्वार्तिक के प्राप्त के अञ्चलका अस्ति के प्राप्त के प्राप्त के प्राप्त के प्राप्त के प्राप्त के प्राप्त के प्र | EPO; JPO | - Late of the state of the state of | . 4 | |
| S4 | 6239 | 438/238,381,106,107.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/07/18 09:41 |
| S5 | 7 | LIANG-MORRIS-p-f.in. or CHUANG-SWAY.in. or FAN-FRANK-k-c.in. or LIS-PGPUB; OR US-PGPUB; OR EPO; JPO | | ON | 2006/07/18 09:43 | |
| | | KAO-CHEN-chung in. | 8 4 | - | | |
| S6 | 3 | S5 and (microcoil or (micro adj US-PGPUB; OR USPAT; EPO; JPO | | | | 2006/07/18 10:00 |
| S7 | 8308 | 29/602.1,605,606,846.ccls. | US-PGPUB; USPAT; | OR | ON | 2006/07/18 09:44 |
| | and a | | EPO; JPO | | | to take it and in a party |
| S8 _. | 6 | ("5448822" "5576680" "5852866" "5877924" "6015742" "6441715").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/07/18 09:45 |
| S9 | 10 | S1 and (microcoil or (micro adj coil)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/07/18-10:01 |
| S11 | 36 | S2 and (microcoil or (micro adj coil)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/07/18 10:01 |
| S12 | 7 | S9 and S11 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/07/18 10:04 |
| S13 | 1307 | inject\$3 with (conduct\$3 or metal\$3) with (coil or (coil near winding)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/07/18 10:07 |
| S14 | 1733 | 216/39,41.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/07/18 10:07 |
| S15 | 164 | photolithography with photoresist with coil | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/07/18 10:07 |

7/18/2006 11:19:15 AM

EAST Search History

| S16 | 4 | S13 and S15 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/07/18 10:07 |
|-----|---|----------------------|---------------------------------|-----|------|------------------|
| S17 | 1 | (US-6600404-\$).did. | USPAT | OR: | ON . | 2006/07/18 10:14 |
| S18 | 3 | S17 and "fig." S6 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/07/18 10:15 |
| S19 | 0 | S17 and FIG | US-PGPUB; USPAT; EPO; JPO | OR | ON . | 2006/07/18 10:15 |
| S20 | 0 | S17 and fig | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/07/18 10:15 |
| S21 | 1 | S17 and photoresist | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/07/18 10:15 |



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

©■Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

| Results for "((((coil) <and> photoresist)<in>metadata)) <and> (pyr >= 1950 <and> p</and></and></in></and> | yr &" |
|--|-------|
| Your search matched 11 of 1373978 documents. | |

⊠e-mail

| » Search O | ntions | | | | | | | |
|----------------------|-------------------------------|--|---|--|--|--|--|--|
| | | Moi | odify Search | | | | | |
| View Session History | | ((((coil) <and> photoresist) <in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)</and></and></in></and> | | | | | | |
| New Searc | <u>h</u> | | | | | | | |
| | | | Check to search only within this results set | | | | | |
| » Key | | Dis | splay Format: | | | | | |
| IEEE JNL | IEEE Journal or Magazine | _ vi₁ | iew selected items Select All Deselect All | | | | | |
| IEE JNL | JNL IEE Journal or Magazine | | | | | | | |
| IEEE CNF | IEEE Conference Proceeding | | 1. Thermomechanical head performance Pust, L.; Rea, C.J.T.; Gangopadhyay, S.; | | | | | |
| IEE CNF | IEE Conference Proceeding | | Magnetics, IEEE Transactions on Volume 38, Issue 1, Part 1, Jan. 2002 Page(s):101 - 106 | | | | | |
| IEEE STD | IEEE Standard | | Digital Object Identifier 10.1109/TMAG.2002.988919 | | | | | |
| : | | | <u>AbstractPlus</u> <u>References</u> Full Text: <u>PDF(</u> 282 KB) IEEE JNL Rights and Permissions | | | | | |
| | | | Design and performance of a recessed thin film inductive transducer Zak, B.S.; Curland, N.; Giusti, J.H.; Ash, K.P.; Cameron, G.P.; Magnetics, IEEE Transactions on Volume 32, Issue 1, Jan. 1996 Page(s):74 - 79 Digital Object Identifier 10.1109/20.477553 | | | | | |
| į | ** | | AbstractPlus Full Text: PDF(656 KB) IEEE JNL Rights and Permissions | | | | | |
| | | | 3. Design study and fabrication techniques for high power density microtral Brunet, M.; O'Donnell, T.; O'Brien, J.; McCloskey, P.; O'Mathuna, C.; Applied Power Electronics Conference and Exposition, 2001. APEC 2001. Sixt IEEE Volume 2, 4-8 March 2001 Page(s):1189 - 1195 vol.2 Digital Object Identifier 10.1109/APEC.2001.912516 | | | | | |
| · - | | | AbstractPlus Full Text: PDF(652 KB) IEEE CNF Rights and Permissions | | | | | |
| | | | 4. Dry-etching of barium-strontium-titanate thin films Schneider, S.; Mono, T.; Albrethsen-Keck, B.; Melaku, Y.; Waser, R.; Applications of Ferroelectrics, 1998. ISAF 98. Proceedings of the Eleventh IEE Symposium on 24-27 Aug. 1998 Page(s):51 - 54 Digital Object Identifier 10.1109/ISAF.1998.786634 | | | | | |
| · : | : | | AbstractPlus Full Text: PDF(612 KB) IEEE CNF Rights and Permissions | | | | | |
| : | | | 5. High density plasma etching of aluminum alloys Bradley, S.; Ching-Hwa Chen; Kovall, G.; VLSI Multilevel Interconnection Conference, 1991, Proceedings., Eighth Intern: 11-12 June 1991 Page(s):298 - 300 | | | | | |

AbstractPlus | Full Text: PDF(320 KB) IEEE CNF Rights and Permissions 6. A universal electromagnetic microactuator using magnetic interconnectic П Sadler, D.J.; Liakapoulos, T.M.; Ahn, C.H.; Microelectromechanical Systems, Journal of Volume 9, Issue 4, Dec. 2000 Page(s):460 - 468 Digital Object Identifier 10.1109/84.896766 AbstractPlus | References | Full Text: PDF(188 KB) | IEEE JNL Rights and Permissions 7. Fabrication of submicron trackwidth thin film head and its inductance-sail П characteristics Du, H.; Pan, G.; Magnetics Conference, 2002, INTERMAG Europe 2002, Digest of Technical P International 28 April-2 May 2002 Page(s):AQ6 Digital Object Identifier 10.1109/INTMAG.2002.1000666 AbstractPlus | Full Text: PDF(228 KB) IEEE CNF Rights and Permissions 8. Micromachined spiral inductors using UV-LIGA techniques Sadler, D.J.; Gupta, S.; Ahn, C.H.; Magnetics, IEEE Transactions on Volume 37, Issue 4, Part 1, July 2001 Page(s):2897 - 2899 Digital Object Identifier 10.1109/20.951340 AbstractPlus | References | Full Text: PDF(152 KB) | IEEE JNL Rights and Permissions 9. Comparison of K<3 silicon oxide-based dielectric pre-copper metallization processes using black diamond Mandal, R.P.; Cheung, D.; Wai-Fan Yau; Cohen, B.; Rengarajan, S.; Chou, E.; Advanced Semiconductor Manufacturing Conference and Workshop, 1999 IEE 8-10 Sept. 1999 Page(s):299 - 303 Digital Object Identifier 10.1109/ASMC.1999.798250 AbstractPlus | Full Text: PDF(464 KB) IEEE CNF Rights and Permissions 10. Novel Fabrication Of Electroplated 3D Micro-Coils Using 3D Photolithogr. V **Photoresist** Yoon, J.-B.; Han, C.-H.; Yoon, E.-S.; Kim, C.-K.; Microprocesses and Nanotechnology Conference, 1998 International 13-16 July 1998 Page(s):85 - 86 AbstractPlus | Full Text: PDF(264 KB) IEEE CNF Rights and Permissions 11. Low Temperature Processing Of Coil Insulating Photoresist By Electron Jennison, M.J.; Young K. Kim; MMM-Intermag Conference, 1998. Abstracts., The 7th Joint 6-9 Jan. 1998 Page(s):64 - 64 AbstractPlus | Full Text: PDF(92 KB) | IEEE CNF Rights and Permissions

Digital Object Identifier 10.1109/VMIC.1991.153005

Help Contact Us Privacy &:

© Copyright 2006 IEEE -